

May 29, 2026

AMAZING BOTANICALS

18459 Pines Blvd #416
Pembroke Pines, FL 33029

Order No. 591379
Sample No. 1414398

SAMPLE INFORMATION

Description Mitragen 500
Lot Number MIT500-0526
Received May 22, 2026
Max Daily Intake (g) 1.0785

ANALYTICAL RESULTS

Analysis Heavy Metals ✔ Pass
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method AOAC 2015.01
Analysis Date May 22, 2026 to May 29, 2026

Analyte	Findings (µg/day)	Limit (µg/day)	Status
Arsenic	ND	10	Pass
Cadmium	<LOQ	4.1	Pass
Mercury	ND	2	Pass
Lead	0.01	6	Pass

*The AHPA recommended daily limits are specified for inorganic arsenic and methyl mercury, but our heavy metals screen tests for total arsenic (inorganic + organic arsenic) and total mercury. As such, an arsenic or mercury result below the recommended daily limit will inherently pass, while an arsenic or mercury result above the recommended daily limit may require additional testing.

Reported by
Anresco, Inc.

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation



Eric Tam
Senior Chemist

May 29, 2026

If there are any questions with this report, please contact "compliance@anresco.com".